

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal653adk

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****
**
NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JUL 12 BEILSTEIN enhanced with new display and select
options,
resulting in a closer connection to BABS
NEWS 4 AUG 02 IFIPAT/IFIUDB/IFICDB reloaded with new search and
display
fields
NEWS 5 AUG 02 CAPlus and CA patent records enhanced with European
and Japan
Patent Office Classifications
NEWS 6 AUG 02 The Analysis Edition of STN Express with Discover!
(Version 7.01 for Windows) now available
NEWS 7 AUG 27 BIOCOMMERCE: Changes and enhancements to content
coverage
NEWS 8 AUG 27 BIOTECHABS/BIOTECHDS: Two new display fields added
for legal
status data from INPADOC
NEWS 9 SEP 01 INPADOC: New family current-awareness alert (SDI)
available
NEWS 10 SEP 01 New pricing for the Save Answers for Scifinder
Wizard within
STN Express with Discover!
NEWS 11 SEP 01 New display format, HITSTR, available in
WPIDS/WPINDEX/WPIX
NEWS 12 SEP 27 STANDARDS will no longer be available on STN
NEWS 13 SEP 27 SWETSCAN will no longer be available on STN
NEWS 14 OCT 28 KOREAPAT now available on STN
NEWS EXPRESS JULY 30 CURRENT WINDOWS VERSION IS V7.01, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0jc(JP),
AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
STN Operating Hours Plus Help Desk Availability
General Internet Information
NEWS HOURS Welcome Banner and News Items
NEWS INTER Direct Dial and Telecommunication Network Access to
STN
NEWS PHONE
NEWS WWW CAS World wide Web Site (general information)

E2 REGISTRY 1 LAURYL LINOLEATE/CN
E3 REGISTRY 0 --> LAURYL LYSINE/CN
E4 REGISTRY 1 LAURYL M-AMINOSALICYLATE/CN
E5 REGISTRY 1 LAURYL MALTOSE/CN
E6 REGISTRY 1 LAURYL ME, DI-ME SILOXANES/CN
E7 REGISTRY 1 LAURYL MERCAPTAN/CN
E8 REGISTRY 1 LAURYL MESYLATE/CN
E9 REGISTRY 1 LAURYL METHACRYLATE/CN
E10 REGISTRY 1 LAURYL METHACRYLATE HOMOPOLYMER/CN
E11 REGISTRY 1 LAURYL METHACRYLATE POLYMER/CN
E12 REGISTRY 1 LAURYL METHACRYLATE, COMPD. WITH
MONTMORILLON
ITE/CN

=> e lauroyl lysine/cn
REGISTRY INITIATED
Substance data EXPAND from CAS REGISTRY in progress...

E#	FILE	FREQUENCY	TERM
E1	REGISTRY	1	LAUROYL HYDRAZIDE/CN
E2	REGISTRY	1	LAUROYL ISOPROPANOLAMIDE/CN
E3	REGISTRY	0 -->	LAUROYL LYSINE/CN
E4	REGISTRY	1	LAUROYL LYSOLECITHIN/CN
E5	REGISTRY	1	LAUROYL MANNOSE/CN
E6	REGISTRY	1	LAUROYL MONOETHANOLAMIDE/CN
E7	REGISTRY	1	LAUROYL PALMITOYL PEROXIDE/CN
E8	REGISTRY	1	LAUROYL PENTACHLOROPHENATE/CN
E9	REGISTRY	1	LAUROYL PEROXIDE/CN
E10	REGISTRY	1	LAUROYL PEROXIDE COMPD. WITH UREA
(1:1)/CN			
E11	REGISTRY	1	LAUROYL PEROXIDE, COMPD. WITH
UREA/CN			
E12	REGISTRY	1	LAUROYL PG TRIMONIUM CHLORIDE/CN

=> index all
FILE 'ENCOMPLIT' ACCESS NOT AUTHORIZED
FILE 'ENCOMPLIT2' ACCESS NOT AUTHORIZED
FILE 'ENCOMPPAT' ACCESS NOT AUTHORIZED
FILE 'ENCOMPPAT2' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS
TOTAL

SINCE FILE

ENTRY

SESSION
FULL ESTIMATED COST
12.85

4.72

INDEX 'IMOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE,
AGRICOLA,
ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE,
BABS,
BIBLIODATA, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS,
BIOTECHABS,

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to
scientific research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

***** STN Columbus *****
**

FILE 'HOME' ENTERED AT 10:31:27 ON 29 OCT 2004

=> fil hcaplus	SINCE FILE
COST IN U.S. DOLLARS	ENTRY
TOTAL	
SESSION	
FULL ESTIMATED COST	0.21
0.21	

FILE 'HCAPLUS' ENTERED AT 10:31:42 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in
searching
databases on STN. Any dissemination, distribution, copying, or
storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 29 Oct 2004 VOL 141 ISS 18
FILE LAST UPDATED: 27 Oct 2004 (20041027/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> e lauryl lysine/cn
REGISTRY INITIATED
Substance data EXPAND from CAS REGISTRY in progress...

E#	FILE	FREQUENCY	TERM
E1	REGISTRY	1	LAURYL LAURATE/CN

BIOTECHDS, BIOTECHNO, BLDB, CABA, CANCERLIT, ...
ENTERED AT 10:33:57 ON 29 OCT 2004

143 FILES IN THE FILE LIST IN STNINDEX

Enter SET DETAIL ON to see search term postings or to view
search error messages that display as 0* with SET DETAIL OFF.

=> s amihope
FILE 'IMOBILITY'

0 AMIHOPE
0 AMIHOPE

FILE '2MOBILITY'

0 AMIHOPE
0 AMIHOPE

FILE 'ABI-INFORM'

0 AMIHOPE
0 AMIHOPE

FILE 'ADISCTI'

0 AMIHOPE
0 AMIHOPE

FILE 'AEROSPACE'

0 AMIHOPE
0 AMIHOPE

FILE 'AGRICOLA'

0 AMIHOPE
0 AMIHOPE

FILE 'ALUMINIUM'

0 AMIHOPE
0 AMIHOPE

FILE 'ANABSTR'

0 AMIHOPE
0 AMIHOPE

FILE 'ANTE'

0 AMIHOPE
0 AMIHOPE

FILE 'APOLLIT'

0 AMIHOPE
0 AMIHOPE

FILE 'AQUALINE'

0 AMIHOPE
0 AMIHOPE

FILE 'AQUASCT'

0 AMIHOPE
0 AMIHOPE

FILE 'AQUIRE'

0 AMIHOPE
0 AMIHOPE

FILE 'BABS'

0 AMIHOPE
0 AMIHOPE

FILE 'BIBLIODATA'

0 AMIHOPE
0 AMIHOPE

FILE 'BIOBUSINESS'

0 AMIHOPE
0 AMIHOPE

FILE 'BIOCOMMERCE'

0 AMIHOPE
 0 AMIHOPE
 FILE 'BIOENG' 0 AMIHOPE
 0 AMIHOPE
 FILE 'BIOSIS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'BIOTECHABS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'BIOTECHDS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'BIOTECHNO' 0 AMIHOPE
 0 AMIHOPE
 FILE 'BLLDDB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CABA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CANCERLIT' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CAOLD' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CAPLUS' 41 AMIHOPE
 FILE 'CASREACT' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CBNB' 2 AMIHOPE
 FILE 'CEABA-VTB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CEN' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CERAB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CHEMINFORMRX' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CHEMSAFE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CIN' 3 AMIHOPE
 FILE 'CIVILENG' 0 AMIHOPE
 0 AMIHOPE
 FILE 'COMPENDEX' 0 AMIHOPE

FILE 'EMBAL' 1 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'EMBASE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'ENERGY' 0 AMIHOPE
 0 AMIHOPE
 FILE 'ENTEC' 0 AMIHOPE
 0 AMIHOPE
 FILE 'ENVIROENG' 0 AMIHOPE
 0 AMIHOPE
 FILE 'ESBIOBASE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'EUROPATFULL' 16 AMIHOPE
 FILE 'FOMAD' 0 AMIHOPE
 0 AMIHOPE
 FILE 'FORIS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'FRANCEPAT' 0 AMIHOPE
 0 AMIHOPE
 FILE 'FRFULL' 12 AMIHOPE
 FILE 'FROSTI' 0 AMIHOPE
 0 AMIHOPE
 FILE 'FSTA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'GENBANK' 0 AMIHOPE
 0 AMIHOPE
 FILE 'GEOREF' 0 AMIHOPE
 0 AMIHOPE
 FILE 'HEALSAFE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'ICONDA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'IFICLS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'IFIPAT' 0 AMIHOPE
 0 AMIHOPE
 FILE 'IMSDRUGNEWS' 0 AMIHOPE
 0 AMIHOPE

0 AMIHOPE
 0 AMIHOPE
 FILE 'COMPUAB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'COMPUSCIENCE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CONFSCI' 0 AMIHOPE
 0 AMIHOPE
 FILE 'COPPERLIT' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CORROSION' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CROPB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CROPU' 0 AMIHOPE
 0 AMIHOPE
 FILE 'CSNB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DDFB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DDFU' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DETERM' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DGENE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DISSABS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DKF' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DPCI' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DRUGB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'DRUGU' 0 AMIHOPE
 0 AMIHOPE
 FILE 'ELCOM' 0 AMIHOPE
 0 AMIHOPE
 FILE 'EMA' 0 AMIHOPE

FILE 'INFODATA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'INIS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'INPADOC' 0 AMIHOPE
 0 AMIHOPE
 FILE 'INSPEC' 0 AMIHOPE
 0 AMIHOPE
 FILE 'INSPHYS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'INVESTEXT' 0 AMIHOPE
 0 AMIHOPE
 FILE 'IPA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'ITRD' 0 AMIHOPE
 0 AMIHOPE
 FILE 'JAPIO' 0 AMIHOPE
 0 AMIHOPE
 FILE 'JICST-EPLUS' 4 AMIHOPE
 FILE 'KOSMET' 2 AMIHOPE
 FILE 'LIFESCI' 0 AMIHOPE
 0 AMIHOPE
 FILE 'MATBUS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'MATH' 0 AMIHOPE
 0 AMIHOPE
 FILE 'MATHDI' 0 AMIHOPE
 0 AMIHOPE
 FILE 'MECHENG' 0 AMIHOPE
 0 AMIHOPE
 FILE 'MEDLINE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'METADEX' 0 AMIHOPE
 0 AMIHOPE
 FILE 'NAPRALERT' 0 AMIHOPE
 0 AMIHOPE
 FILE 'NIOSTIC' 0 AMIHOPE

FILE 'NLDB' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'NTIS' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'NUTRACEUT' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'OCEAN' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'PAPERCHEM2' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'PASCAL' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'PATDD' 0 AMIHOPE
 0 AMIHOPE
 FILE 'PATDPA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'PATDPAFULL' 14 AMIHOPE
 FILE 'PATOSDE' 0 AMIHOPE
 FILE 'PATOSEP' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'PATOSWO' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'PCTFULL' 10 AMIHOPE
 FILE 'PCTGEN' 0 AMIHOPE
 0 AMIHOPE
 FILE 'PHARMAML' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'PHIC' 0 AMIHOPE
 0 AMIHOPE
 FILE 'PHIN' 0 AMIHOPE
 0 AMIHOPE
 FILE 'PIRA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'POLLUAB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'PROMT' 9 AMIHOPE
 FILE 'RAPRA' 0 AMIHOPE

FILE 'WPTDS' 1 AMIHOPE
 FILE 'WPIFV' 0 AMIHOPE
 0 AMIHOPE
 FILE 'WPINDEX' 1 AMIHOPE
 FILE 'WSCA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'WTEXTILES' 0 AMIHOPE
 0 AMIHOPE

L1 QUE AMIHOPE

=> d rank
 F1 41 CAPLUS
 F2 34 USPATFULL
 F3 16 EUROPATFULL
 F4 14 PATDPAFULL
 F5 12 FRFULL
 F6 10 PCTFULL
 F7 9 PROMT
 F8 4 JICST-EPLUS
 F9 3 CIN
 F10 3 TOXCENTER
 F11 3 USPAT2
 F12 2 CBNB
 F13 2 KOSMET
 F14 1 EMA
 F15 1 TEMA
 F16 1 WPTDS
 F17 1 WPINDEX

=> file f13,f1,f10
 COST IN U.S. DOLLARS
 TOTAL
 SESSION
 FULL ESTIMATED COST
 15.70

FILE 'KOSMET' ENTERED AT 10:37:07 ON 29 OCT 2004
 COPYRIGHT (C) 2004 International Federation of the Societies of
 Cosmetics Chemists

FILE 'CAPLUS' ENTERED AT 10:37:07 ON 29 OCT 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'TOXCENTER' ENTERED AT 10:37:07 ON 29 OCT 2004
 COPYRIGHT (C) 2004 ACS

<-----User Break----->

FILE 'RSWB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'RUSSCI' 0 AMIHOPE
 0 AMIHOPE
 0 AMIHOPE
 FILE 'SCISEARCH' 0 AMIHOPE
 0 AMIHOPE
 FILE 'SIGLE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'SOLIDSTATE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'SOLIS' 0 AMIHOPE
 0 AMIHOPE
 FILE 'SYNTHLINE' 0 AMIHOPE
 0 AMIHOPE
 FILE 'TEMA' 1 AMIHOPE
 FILE 'TEXTILETECH' 0 AMIHOPE
 0 AMIHOPE
 FILE 'TOXCENTER' 3 AMIHOPE
 FILE 'TRIBO' 0 AMIHOPE
 0 AMIHOPE
 FILE 'TULSA' 0 AMIHOPE
 0 AMIHOPE
 FILE 'TULSA2' 0 AMIHOPE
 0 AMIHOPE
 FILE 'UFORDAT' 0 AMIHOPE
 FILE 'ULIDAT' 0 AMIHOPE
 FILE 'USPATFULL' 34 AMIHOPE
 FILE 'USPAT2' 3 AMIHOPE
 FILE 'VETB' 0 AMIHOPE
 0 AMIHOPE
 FILE 'VETU' 0 AMIHOPE
 0 AMIHOPE
 FILE 'WATER' 0 AMIHOPE
 0 AMIHOPE
 FILE 'WELDASEARCH' 0 AMIHOPE
 0 AMIHOPE

SEARCH ENDED BY USER

=> s l1
 L2 46 L1

=> dup rem
 ENTER L# LIST OR (END):12
 DUPLICATE IS NOT AVAILABLE IN 'KOSMET'.
 ANSWERS FROM THESE FILES WILL BE CONSIDERED UNIQUE
 PROCESSING COMPLETED FOR L2
 L3 44 DUP REM L2 (2 DUPLICATES REMOVED)

=> d l2 1-3

L2 ANSWER 1 OF 46 KOSMET. COPYRIGHT 2004 IFSCC on STN
 AN 9041 KOSMET FS scientific, technical Full-text
 TI TACTILE EVALUATIONS OF COSMETIC INGREDIENTS
 AU ARMANINI L; AUCAR B
 SO SEIFEN, OELE FETTE WACHSE, 1992, 118 (20), 1247-1254, 4 REFS
 DT Journal
 LA German

L2 ANSWER 2 OF 46 KOSMET. COPYRIGHT 2004 IFSCC on STN
 AN 8499 KOSMET FS scientific, technical Full-text
 TI TACTILE EVALUATIONS OF COSMETIC INGREDIENTS
 AU ARMANINI L (THE MEARL CORPORATION, HENRY L. MATTIN
 LABORATORIES,
 OSSINING, NEW YORK 10562, USA); AUCAR B
 SO CONGRESS, IN COSMETICS, FRANKFURT, GERMANY, 1992, 4-6 MARCH,
 191-217, 4
 REFS
 Availability: VERLAG FUR CHEM INDUSTRIE, H ZIOLKOWSKY KG, 8900
 AUGSBURG
 1, GERMANY
 DT Conference
 LA English

L2 ANSWER 3 OF 46 CAPLUS. COPYRIGHT 2004 ACS on STN
 AN 2004:885081 CAPLUS Full-text
 TI Amino acid based surfactants for dry-cleaning with high-pressure
 carbon
 dioxide
 AU van Roosmalen, M. J. E.; Woerlee, G. F.; Witkamp, G. J.
 CS Laboratory for Process Equipment, Delft University of
 Technology,
 Leeghwaterstraat 44, Delft, 2628 CA, Neth.
 SO Journal of Supercritical Fluids (2004), 32(1-3), 243-254
 CODEN: JSFLEH; ISSN: 0896-8446
 PB Elsevier B.V.
 DT Journal
 LA English

=> l3 and pd<20030428
 '20030428' NOT A VALID FIELD CODE
 L4 36 L3 AND PD<20030428

=> FIL STNGUIDE
COST IN U.S. DOLLARS
TOTAL

SINCE FILE

ENTRY

SESSION
FULL ESTIMATED COST
28.07

12.37

FILE 'STNGUIDE' ENTERED AT 10:39:36 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Oct 22, 2004 (20041022/UP).

=> 12 1-2 ibib abs kwic
MISSING OPERATOR L2 1-2
The search profile that was entered contains terms or
nested terms that are not separated by a logical operator.

=> d 12 1-2 ibib abs kwic
YOU HAVE REQUESTED DATA FROM FILE 'KOSMET, CAPLUS, TOXCENTER' -
CONTINUE? (Y)/N:y

L2 ANSWER 1 OF 46 KOSMET COPYRIGHT 2004 IFSCC ON STN
ACCESSION NUMBER: 9041 KOSMET Full-text
FILE SEGMENT: scientific, technical
TITLE: TACTILE EVALUATIONS OF COSMETIC INGREDIENTS
AUTHOR: ARMANINI L; AUCAR B
SOURCE: SEIFEN OELE FETTE WACHSE, 1992, 118 (20),
1247-1254, 4
DOCUMENT TYPE: REFS
LANGUAGE: Journal
AN 9041 KOSMET FS scientific, technical Full-text
AB A test for comparative tactile quality or feel was developed. A
tactile rating system was then adopted which assigned a Tactile (TN)
of 1 to a gritty sample and a tactile Number of 18 to a very smooth
sample. Standards were then chosen which ranged between the two extremes.
Test samples were then judged compared to the standards and given
Tactile. Number ratings. Cosmetic ingredients which included platey
and non-platey pigments were tested. The surface treatment using
Amihope to modify tactile qualities of various pearlescent pigments
and mica was investigated and the extent of the improvement using
this treatment was found. Other additives were also investigated AB.
standards and given Tactile. Number ratings. Cosmetic
ingredients
which included platey and non-platey pigments were tested. The
surface
treatment using Amihope to modify tactile qualities of various
pearlescent pigments and mica was investigated and the extent
of the
improvement using this. . .

Enter DISPLAY HISTORY to see the sequence of commands that created
this L-number.

=> index all
FILE 'ENCOMPLIT' ACCESS NOT AUTHORIZED
FILE 'ENCOMPLIT2' ACCESS NOT AUTHORIZED
FILE 'ENCOMPPAT' ACCESS NOT AUTHORIZED
FILE 'ENCOMPPAT2' ACCESS NOT AUTHORIZED
COST IN U.S. DOLLARS
TOTAL

SINCE FILE

ENTRY

SESSION
FULL ESTIMATED COST
34.88

0.24

INDEX 'IMOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE,
AGRICOLA,
ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE,
BABS,
BIBLIODATA, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS,
BIOTECHABS,
BIOTECHDS, BIOTECHNO, BLLDB, CABA, CANCERLIT, ...'
ENTERED AT 10:43:34 ON 29 OCT 2004

143 FILES IN THE FILE LIST IN STNINDEX

Enter SET DETAIL ON to see search term postings or to view
search error messages that display as 0* with SET DETAIL OFF.

=> s amihope 11
FILE 'IMOBILITY'
0 "AMIHOPE"
37 "LL"
5 "LLS"
42 "LL"
("LL" OR "LLS")
0 AMIHOPE LL
("AMIHOPE"(W)"LL")
FILE '2MOBILITY'
0 "AMIHOPE"
0 "LL"
0 AMIHOPE LL
("AMIHOPE"(W)"LL")
FILE 'ABI-INFORM'
0 AMIHOPE
95190 LL
300 LLS
95343 LL
("LL OR LLS")
0 AMIHOPE LL
("AMIHOPE"(W)"LL")
FILE 'ADISCTI'
0 AMIHOPE
158 LL
1 LLS
159 LL
("LL OR LLS")

L2 ANSWER 2 OF 46 KOSMET COPYRIGHT 2004 IFSCC ON STN
ACCESSION NUMBER: 8499 KOSMET Full-text
FILE SEGMENT: scientific, technical
TITLE: TACTILE EVALUATIONS OF COSMETIC INGREDIENTS
AUTHOR: ARMANINI L (THE MEARL CORPORATION, HENRY L.
MATTIN
LABORATORIES, OSSINING, NEW YORK 10562,
USA); AUCAR

B
SOURCE: CONGRESS, IN COSMETICS, FRANKFURT, GERMANY,
1992, 4-6

MARCH, 191-217, 4 REFS
Availability: VERLAG FUR CHEM INDUSTRIE, H

ZIOLKOWSKY

KG, 8900 AUGSBURG 1, GERMANY

DOCUMENT TYPE:

Conference

LANGUAGE:

English

AN 8499 KOSMET FS scientific, technical Full-text

AB A test for comparative tactile quality or feel was developed. A
tactile rating system was then adopted which assigned a Tactile
Number (TN) of 1 to a gritty sample and a Tactile Number of 18 to a
very smooth sample. Standards were chosen which ranged between the
two extremes. Test samples were then judged compared to the standards
and given Tactile Number ratings. Cosmetic ingredients which included
platey and non-platey pigments were tested. The surfaced treatment
using Amihope to modify tactile qualities of various pearlescent
pigments and mica was investigated and the extent of the improvement
using this treatment was found. Other additives were also
investigated AB. . . standards and given Tactile Number ratings.
Cosmetic ingredients
which included platey and non-platey pigments were tested. The
surfaced
treatment using Amihope to modify tactile qualities of various
pearlescent pigments and mica was investigated and the extent
of the
improvement using this. . .

=> d his 12-

(FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:37:07 ON 29 OCT
2004)

L2 46 S L1
L3 44 DUP REM L2 (2 DUPLICATES REMOVED)
L4 36 L3 AND PD<20030428

FILE 'STNGUIDE' ENTERED AT 10:39:36 ON 29 OCT 2004

FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:41:02 ON 29 OCT
2004

FILE 'STNGUIDE' ENTERED AT 10:41:04 ON 29 OCT 2004

=> 14 and amihope 11
L3 CANNOT BE SEARCHED IN STNGUIDE
The L-number cannot be used because it does not contain a query.

0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'AEROSPACE'
0 AMIHOPE
467 LL
40 LLS
505 LL
("LL OR LLS")
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'AGRICOLA'
0 AMIHOPE
476 LL
10 LLS
486 LL
("LL OR LLS")
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'ALUMINIUM'
0 AMIHOPE
84 LL
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'ANABSTR'
0 AMIHOPE
56 LL
8 LLS
64 LL
("LL OR LLS")
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'ANTE'
0 AMIHOPE
129 LL
2 LLS
131 LL
("LL OR LLS")
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'APOLLIT'
0 AMIHOPE
78 LL
73 LLS
151 LL
("LL OR LLS")
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'AQUALINE'
0 AMIHOPE
22 LL
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'AQUASCI'
0 "AMIHOPE"
372 "LL"
13 "LLS"
385 "LL"

("LL" OR "LLS")
 0 AMIHOPE LL
 ("AMIHOPE"(W)"LL")
 FILE 'AQUIRE'
 0 AMIHOPE
 0 LL
 1 LLS
 1 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BABS'
 0 AMIHOPE
 444 LL
 14 LLS
 458 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BIBLIODATA'
 0 AMIHOPE
 176 LL
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BIORBUSINESS'
 0 "AMIHOPE"
 367 "LL"
 10 "LLS"
 377 "LL"
 ("LL" OR "LLS")
 0 AMIHOPE LL
 ("AMIHOPE"(W)"LL")
 FILE 'BIOCOMMERCE'
 0 AMIHOPE
 6 LL
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BIOENG'
 0 AMIHOPE
 194 LL
 15 LLS
 209 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BIOSIS'
 0 AMIHOPE
 3995 LL
 118 LLS
 4099 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BIOTECHABS'
 0 AMIHOPE
 296 LL
 11 LLS

1 LLS
 215 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CBNB'
 2 AMIHOPE
 244 LL
 3 LLS
 247 LL
 (LL OR LLS)
 2 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CEABA-VTB'
 0 AMIHOPE
 119 LL
 6 LLS
 125 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CEN'
 0 "AMIHOPE"
 675 "LL"
 0 AMIHOPE LL
 ("AMIHOPE"(W)"LL")
 FILE 'CERAB'
 0 AMIHOPE
 3 LL
 1 LLS
 4 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CHEMINFORMRX'
 0 AMIHOPE
 10 LL
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CHEMSAFE'
 0 AMIHOPE
 0 LL
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CIN'
 3 "AMIHOPE"
 779 "LL"
 3 "LLS"
 782 "LL"
 ("LL" OR "LLS")
 3 AMIHOPE LL
 ("AMIHOPE"(W)"LL")
 FILE 'CIVILENG'
 0 AMIHOPE
 112 LL
 3 LLS
 115 LL

307 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BIOTECHDS'
 0 AMIHOPE
 296 LL
 11 LLS
 307 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BIOTECHNO'
 0 AMIHOPE
 925 LL
 24 LLS
 944 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'BLDDB'
 0 AMIHOPE
 30 LL
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CABA'
 0 AMIHOPE
 1475 LL
 71 LLS
 1533 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CANCERLIT'
 0 AMIHOPE
 920 LL
 28 LLS
 941 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CAOLD'
 0 AMIHOPE
 20 LL
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CAPLUS'
 41 AMIHOPE
 6124 LL
 356 LLS
 6459 LL
 (LL OR LLS)
 41 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CASREACT'
 0 AMIHOPE
 214 LL

(LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'COMPENDEX'
 0 AMIHOPE
 1218 LL
 247 LLS
 1453 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'COMPUAB'
 0 "AMIHOPE"
 305 "LL"
 8 "LLS"
 313 "LL"
 ("LL" OR "LLS")
 0 AMIHOPE LL
 ("AMIHOPE"(W)"LL")
 FILE 'COMPUSCIENCE'
 0 AMIHOPE
 534 LL
 3 LLS
 537 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CONFSCI'
 0 "AMIHOPE"
 113 "LL"
 0 AMIHOPE LL
 ("AMIHOPE"(W)"LL")
 FILE 'COPPERLIT'
 0 AMIHOPE
 8 LL
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CORROSION'
 0 AMIHOPE
 13 LL
 1 LLS
 14 LL
 (LL OR LLS)
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CROPB'
 0 AMIHOPE
 3 LL
 0 AMIHOPE LL
 (AMIHOPE(W)LL)
 FILE 'CROPU'
 0 AMIHOPE
 156 LL
 14 LLS
 170 LL
 (LL OR LLS)
 0 AMIHOPE LL

```

(AMHOPE(W)LL)
FILE 'CSNB'
0 AMHOPE
8 LL
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DDFB'
0 AMHOPE
141 LL
4 LLS
145 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DDFU'
0 AMHOPE
742 LL
14 LLS
755 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DETERM'
0 AMHOPE
1 LL
1 LLS
1 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DGENE'
0 AMHOPE
436 LL
301 LLS
737 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DISSABS'
0 AMHOPE
857 LL
54 LLS
906 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DKF'
0 AMHOPE
44 LL
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DPCI'
0 AMHOPE
73 LL
2 LLS
75 LL
(LL OR LLS)

```

```

(AMHOPE(W)LL)
FILE 'ENTEC'
0 AMHOPE
59 LL
10 LLS
69 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'ENVIROENG'
0 AMHOPE
21 LL
4 LLS
25 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'ESBIOWASE'
0 AMHOPE
1379 LL
64 LLS
1435 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'EUROPATFULL'
16 AMHOPE
7544 LL
256 LLS
7774 LL
(LL OR LLS)
11 AMHOPE LL
(AMHOPE(W)LL)
FILE 'FOMAD'
0 AMHOPE
38 LL
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'FORIS'
0 AMHOPE
1 LL
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'FRANCEPAT'
0 AMHOPE
59 LL
6 LLS
65 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'FRFULL'
12 AMHOPE
20343 LL
249 LLS
20534 LL
(LL OR LLS)

```

```

0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DRUGB'
0 AMHOPE
141 LL
4 LLS
145 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'DRUGU'
0 AMHOPE
9810 LL
21 LLS
9828 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'ELCOM'
0 "AMHOPE"
61 "LL"
13 "LLS"
73 "LL"
("LL" OR "LLS")
0 AMHOPE LL
("AMHOPE"(W)"LL")
FILE 'EMA'
1 AMHOPE
52 LL
17 LLS
69 LL
(LL OR LLS)
1 AMHOPE LL
(AMHOPE(W)LL)
FILE 'EMBAL'
0 AMHOPE
39 LL
8 LLS
47 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'EMBASE'
0 "AMHOPE"
3118 "LL"
126 "LLS"
3227 "LL"
("LL" OR "LLS")
0 AMHOPE LL
("AMHOPE"(W)"LL")
FILE 'ENERGY'
0 AMHOPE
1093 LL
73 LLS
1163 LL
(LL OR LLS)
0 AMHOPE LL

```

```

8 AMHOPE LL
(AMHOPE(W)LL)
FILE 'FROSTI'
0 AMHOPE
70 LL
6 LLS
76 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'FSTA'
0 AMHOPE
326 LL
24 LLS
350 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'GENBANK'
0 "AMHOPE"
349077 "LL"
0 AMHOPE LL
("AMHOPE"(W)"LL")
FILE 'GEOREF'
0 AMHOPE
820 LL
8 LLS
828 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'HEALSAFE'
0 "AMHOPE"
57 "LL"
1 "LLS"
58 "LL"
("LL" OR "LLS")
0 AMHOPE LL
("AMHOPE"(W)"LL")
FILE 'ICONDA'
0 AMHOPE
182 LL
4 LLS
186 LL
(LL OR LLS)
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'IFICLS'
0 AMHOPE
1 LL
0 AMHOPE LL
(AMHOPE(W)LL)
FILE 'IFIPAT'
0 AMHOPE
1238 LL
53 LLS
1290 LL

```

```

      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'IMSDRUGNEWS'
      0 "AMIHOPE"
      11 "LL"
      0 AMIHOPE LL
      ("AMIHOPE"(W)"LL")
FILE 'INFODATA'
      0 AMIHOPE
      37 LL
      1 LLS
      37 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'INIS'
      0 AMIHOPE
      957 LL
      29 LLS
      985 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'INPADOC'
      0 AMIHOPE
      1715 LL
      36 LLS
      1749 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'INSPEC'
      0 AMIHOPE
      3227 LL
      219 LLS
      3421 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'INSPHYS'
      0 AMIHOPE
      125 LL
      7 LLS
      131 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'INVESTEXT'
      0 "AMIHOPE"
      49551 "LL"
      81 "LLS"
      49629 "LL"
      ("LL" OR "LLS")
      0 AMIHOPE LL
      ("AMIHOPE"(W)"LL")
FILE 'IPA'

```

```

FILE 'MATHDI'
      0 AMIHOPE
      79 LL
      1 LLS
      80 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'MECHENG'
      0 AMIHOPE
      110 LL
      4 LLS
      113 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'MEDLINE'
      0 AMIHOPE
      3596 LL
      87 LLS
      3668 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'METADEX'
      0 AMIHOPE
      373 LL
      13 LLS
      385 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'NAPRALERT'
      0 "AMIHOPE"
      83 "LL"
      1 "LLS"
      84 "LL"
      ("LL" OR "LLS")
      0 AMIHOPE LL
      ("AMIHOPE"(W)"LL")
FILE 'NIOSHITIC'
      0 AMIHOPE
      25 LL
      1 LLS
      26 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'NLDB'
      0 "AMIHOPE"
      90958 "LL"
      1392 "LLS"
      92345 "LL"
      ("LL" OR "LLS")
      0 AMIHOPE LL
      ("AMIHOPE"(W)"LL")
FILE 'NTIS'

```

```

      0 AMIHOPE
      36 LL
      5 LLS
      41 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'ITRD'
      0 AMIHOPE
      69 LL
      1 LLS
      70 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'JAPIO'
      0 AMIHOPE
      1214 LL
      13 LLS
      1226 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'JICST-EPLUS'
      4 AMIHOPE
      945 LL
      108 LLS
      1053 LL
      (LL OR LLS)
      4 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'KOSMET'
      2 AMIHOPE
      27 LL
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'LIFESCI'
      0 "AMIHOPE"
      1213 "LL"
      30 "LLS"
      1238 "LL"
      ("LL" OR "LLS")
      0 AMIHOPE LL
      ("AMIHOPE"(W)"LL")
FILE 'MATBUS'
      0 AMIHOPE
      64 LL
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'MATH'
      0 AMIHOPE
      1958 LL
      8 LLS
      1966 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)

```

```

      0 AMIHOPE
      802 LL
      31 LLS
      832 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'NUTRACEUT'
      0 AMIHOPE
      10 LL
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'OCEAN'
      0 "AMIHOPE"
      116 "LL"
      4 "LLS"
      120 "LL"
      ("LL" OR "LLS")
      0 AMIHOPE LL
      ("AMIHOPE"(W)"LL")
FILE 'PAPERCHEM2'
      0 AMIHOPE
      46 LL
      2 LLS
      48 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'PASCAL'
      0 AMIHOPE
      3750 LL
      249 LLS
      3984 LL
      (LL OR LLS)
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'PATDD'
      0 AMIHOPE
      10 LL
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'PATDPA'
      0 AMIHOPE
      345 LL
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'PATDPAFULL'
      14 AMIHOPE
      2761 LL
      8 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'PATOSDE'
      0 AMIHOPE
      244 LL
      0 AMIHOPE LL
      (AMIHOPE(W)LL)
FILE 'PATOSEP'

```

```

0 AMIHOPE
637 LL
5 LLS
641 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'PATOSWO'
0 AMIHOPE
96 LL
4 LLS
99 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'PCTFULL'
10 AMIHOPE
69169 LL
2066 LLS
70457 LL
    (LL OR LLS)
8 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'PCTGEN'
0 AMIHOPE
0 LL
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'PHARMAML'
0 AMIHOPE
67 LL
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'PHIC'
0 "AMIHOPE"
10 "LL"
0 AMIHOPE LL
    ("AMIHOPE"(W)"LL")
FILE 'PHIN'
0 "AMIHOPE"
631 "LL"
4 "LLS"
635 "LL"
    ("LL" OR "LLS")
0 AMIHOPE LL
    ("AMIHOPE"(W)"LL")
FILE 'PIRA'
0 "AMIHOPE"
90 "LL"
1 "LLS"
91 "LL"
    ("LL" OR "LLS")
0 AMIHOPE LL
    ("AMIHOPE"(W)"LL")
FILE 'POLLUAB'
0 "AMIHOPE"
113 "LL"

```

```

70 LL
1 LLS
71 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'SYNTHLIN'
0 "AMIHOPE"
2 "LL"
0 AMIHOPE LL
    ("AMIHOPE"(W)"LL")
FILE 'TEMA'
1 AMIHOPE
522 LL
65 LLS
580 LL
    (LL OR LLS)
1 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'TEXTILETECH'
0 AMIHOPE
37 LL
1 LLS
38 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'TOXCENTER'
3 AMIHOPE
1589 LL
79 LLS
1660 LL
    (LL OR LLS)
3 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'TRIBO'
0 AMIHOPE
15 LL
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'TULSA'
0 AMIHOPE
69 LL
10 LLS
79 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'TULSA2'
0 AMIHOPE
29 LL
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'UFORDAT'
0 AMIHOPE
5 LL
0 AMIHOPE LL

```

```

2 "LLS"
115 "LL"
    ("LL" OR "LLS")
0 AMIHOPE LL
    ("AMIHOPE"(W)"LL")
FILE 'PROMT'
9 "AMIHOPE"
296524 "LL"
1810 "LLS"
298309 "LL"
    ("LL" OR "LLS")
6 AMIHOPE LL
    ("AMIHOPE"(W)"LL")
FILE 'RAPRA'
0 AMIHOPE
118 LL
15 LLS
133 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'RSWB'
0 AMIHOPE
20 LL
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'RUSSCI'
0 AMIHOPE
14 LL
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'SCISEARCH'
0 AMIHOPE
6886 LL
343 LLS
7203 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'SIGLE'
0 AMIHOPE
62 LL
1 LLS
63 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'SOLIDSTATE'
0 "AMIHOPE"
82 "LL"
10 "LLS"
91 "LL"
    ("LL" OR "LLS")
0 AMIHOPE LL
    ("AMIHOPE"(W)"LL")
FILE 'SOLIS'
0 AMIHOPE

```

```

    (AMIHOPE(W)LL)
FILE 'ULIDAT'
0 AMIHOPE
44 LL
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'USPATFULL'
34 AMIHOPE
14645 LL
519 LLS
15117 LL
    (LL OR LLS)
23 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'USPAT2'
3 AMIHOPE
898 LL
37 LLS
932 LL
    (LL OR LLS)
3 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'VETB'
0 AMIHOPE
4 LL
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'VETU'
0 AMIHOPE
93 LL
1 LLS
94 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'WATER'
0 AMIHOPE
52 LL
5 LLS
57 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'WELDASEARCH'
0 AMIHOPE
8 LL
1 LLS
9 LL
    (LL OR LLS)
0 AMIHOPE LL
    (AMIHOPE(W)LL)
FILE 'WPIDS'
1 AMIHOPE
1098 LL
49 LLS
1145 LL
    (LL OR LLS)

```



```

1 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'WPIFV'
0 AMIHOPE
6 LL
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'WPINDEX'
1 AMIHOPE
1098 LL
49 LLS
1145 LL
(LL OR LLS)
1 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'WSCA'
0 AMIHOPE
5 LL
0 AMIHOPE LL
(AMIHOPE(W)LL)
FILE 'WTEXTILES'
0 AMIHOPE
18 LL
5 LLS
23 LL
(LL OR LLS)
0 AMIHOPE LL
(AMIHOPE(W)LL)

```

L5 QUE AMIHOPE LL

```

=> d rank
F1 41 CAPLUS
F2 23 USPATFULL
F3 11 EUROPATFULL
F4 8 FRFULL
F5 8 PATDPFULL
F6 8 PCTFULL
F7 6 PROMT
F8 4 JICST-EPLUS
F9 3 CIN
F10 3 TOXCENTER
F11 3 USPAT2
F12 2 CBNB
F13 1 EMA
F14 1 TEMA
F15 1 WPIIDS
F16 1 WPINDEX

```

=> f1,f3,f10,f9,f4,f3

```

FILE 'IMOBILITY'
41 "F1"
8 "F3"
1 "F10"
0 "F9"
7 "F4"

```

FILE 'ANABSTR' (F1(W)F3(W)F10(W)F9(W)F4(W)F3)

```

178 F1
25 F3
4 F10
1 F9
13 F4
25 F3
0 F1,F3,F10,F9,F4,F3
(F1(W)F3(W)F10(W)F9(W)F4(W)F3)

```

```

FILE 'ANTE'
80 F1
11 F3
3 F10
0 F9
12 F4
11 F3
0 F1,F3,F10,F9,F4,F3
(F1(W)F3(W)F10(W)F9(W)F4(W)F3)

```

FILE 'APOLLIT'
SEARCH ENDED BY USER

=> file f1,f3,f10,f9,f4,f3

```

COST IN U.S. DOLLARS      SINCE FILE
TOTAL                      ENTRY
SESSION
FULL ESTIMATED COST      2.28
37.16

```

FILE 'CAPLUS' ENTERED AT 10:45:40 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'EUROPATFULL' ENTERED AT 10:45:40 ON 29 OCT 2004
COPYRIGHT (C) 2004 WILA Verlag Muenchen (WILA)

FILE 'TOXCENTER' ENTERED AT 10:45:40 ON 29 OCT 2004
COPYRIGHT (C) 2004 ACS

FILE 'CIN' ENTERED AT 10:45:40 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'FRFULL' ENTERED AT 10:45:40 ON 29 OCT 2004
COPYRIGHT (C) 2004 Univentio

=> d his 13-

(FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:37:07 ON 29 OCT 2004)

L3 44 DUP REM L2 (2 DUPLICATES REMOVED)
L4 36 L3 AND PD<20030428

FILE 'STNGUIDE' ENTERED AT 10:39:36 ON 29 OCT 2004

```

8 "F3"
0 F1,F3,F10,F9,F4,F3
("F1"(W)"F3"(W)"F10"(W)"F9"(W)"F4"(W)"F3")

```

```

FILE '2MOBILITY'
1 "F1"
0 "F3"
0 "F10"
0 "F9"
0 "F4"
0 "F3"
0 F1,F3,F10,F9,F4,F3
("F1"(W)"F3"(W)"F10"(W)"F9"(W)"F4"(W)"F3")

```

```

FILE 'ABI-INFORM'
856 F1
309 F3
114 F10
128 F9
224 F4
309 F3
0 F1,F3,F10,F9,F4,F3
(F1(W)F3(W)F10(W)F9(W)F4(W)F3)

```

```

FILE 'ADISCTI'
186 F1
24 F3
31 F10
14 F9
26 F4
24 F3
0 F1,F3,F10,F9,F4,F3
(F1(W)F3(W)F10(W)F9(W)F4(W)F3)

```

```

FILE 'AEROSPACE'
648 F1
209 F3
142 F10
84 F9
277 F4
209 F3
0 F1,F3,F10,F9,F4,F3
(F1(W)F3(W)F10(W)F9(W)F4(W)F3)

```

```

FILE 'AGRICOLA'
4857 F1
894 F3
68 F10
59 F9
337 F4
894 F3
0 F1,F3,F10,F9,F4,F3
(F1(W)F3(W)F10(W)F9(W)F4(W)F3)

```

FILE 'ALUMINIUM'
<-----User Break----->

```

7 F3
3 F10
1 F9
8 F4
7 F3
0 F1,F3,F10,F9,F4,F3

```

2004 FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:41:02 ON 29 OCT

FILE 'STNGUIDE' ENTERED AT 10:41:04 ON 29 OCT 2004

INDEX 'IMOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA, ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, ACQUIRE, BABS, BIBLIODATA, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, BLADB, CABA, CANCERLIT, ...' ENTERED AT 10:43:34 ON 29 OCT 2004

```

SEA AMIHOPE LL
-----
41 FILE CAPLUS
2 FILE CBNB
3 FILE CIN
1 FILE EMA
11 FILE EUROPATFULL
8 FILE FRFULL
4 FILE JICST-EPLUS
8 FILE PATDPFULL
8 FILE PCTFULL
6 FILE PROMT
1 FILE TEMA
3 FILE TOXCENTER
23 FILE USPATFULL
3 FILE USPAT2
1 FILE WPIIDS
1 FILE WPINDEX
L5 QUE AMIHOPE LL
-----
SEA F1,F3,F10,F9,F4,F3
-----

```

FILE 'CAPLUS, EUROPATFULL, TOXCENTER, CIN, FRFULL' ENTERED AT 10:45:40 ON 29 OCT 2004

=> s 15
L6 66 L5

=> dup rem 16
PROCESSING COMPLETED FOR L6
L7 63 DUP REM L6 (3 DUPLICATES REMOVED)

=> 17 and pd<20030428
3 FILES SEARCHED...
<-----User Break----->

SEARCH ENDED BY USER

=> 17 and hanbusa/au
<-----User Break----->

SEARCH ENDED BY USER

=> 17 and hanabusa
L8 0 L7 AND HANABUSA

=> d 17 1-4 ibib

L7 ANSWER 1 OF 63 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2004:700552 CAPLUS Full-text
DOCUMENT NUMBER: 141:212387
TITLE: Powder solid cosmetics containing luster
powders and talc
INVENTOR(S): Miura, Yasutake; Imai, Fumio
PATENT ASSIGNEE(S): Kao Corp., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 19 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.
JP 2004238366	A2	20040826	JP 2003-31667
20030207			JP 2003-31667
PRIORITY APPLN. INFO.:			
20030207			

L7 ANSWER 2 OF 63 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2004:700534 CAPLUS Full-text
DOCUMENT NUMBER: 141:212384
TITLE: Noble metal-coated pigments and cosmetics
containing them
INVENTOR(S): Kuroda, Akihiro
PATENT ASSIGNEE(S): Kanebo, Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 14 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.
JP 2004238326	A2	20040826	JP 2003-29160
20030206			JP 2003-29160
PRIORITY APPLN. INFO.:			
20030206			

L7 ANSWER 3 OF 63 CAPLUS COPYRIGHT 2004 ACS on STN

SOURCE: Wila-EPZ-2004-H19-T1b
DOCUMENT TYPE: Patent
LANGUAGE: Anmeldung in Japanisch; Veroeffentlichung in Englisch;
DESIGNATED STATES: Verfahren in Englisch
DK; R EE; R R AT; R BE; R BG; R CH; R CY; R CZ; R DE; R ES; R FI; R FR; R GB; R GR; R IE; R IT; R LI; R LU; R MC; R NL; R PT; R SE; R SK; R TR; R AL; R LT; R LV; R MK; R RO; R SI
PATENT INFO.PUB.TYPE: EPA1 EUROPAEISCHE PATENTANMELDUNG (Internationale Anmeldung)
PATENT INFORMATION:
PATENT NO. KIND DATE
EP 1415639 A1 20040506
'OFFENLEGUNGS' DATE: 20040506
APPLICATION INFO.: 20020807
PRIORITY APPLN. INFO.: JP 2001-2001243364 20010810
JP 2001-2001252457 20010823
JP 2001-2001252459 20010823
JP 2002-2002131197 20020507
JP 2002-2002131198 20020507
RELATED DOC. INFO.: WO 02-JP8105 020807 INTAKZ
WO 2003015723 030227 INTPNR

=> d his

(FILE 'HOME' ENTERED AT 10:31:27 ON 29 OCT 2004)
FILE 'HCAPLUS' ENTERED AT 10:31:42 ON 29 OCT 2004
FILE 'REGISTRY' ENTERED AT 10:31:54 ON 29 OCT 2004
E LAURYL LYSINE/CN
FILE 'HCAPLUS' ENTERED AT 10:31:54 ON 29 OCT 2004
FILE 'REGISTRY' ENTERED AT 10:32:48 ON 29 OCT 2004
E LAUROYL LYSINE/CN
FILE 'HCAPLUS' ENTERED AT 10:32:48 ON 29 OCT 2004
INDEX 'IMOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA, ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS, BIBLIODATA, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, BLADB, CABA, CANCERLIT, ...' ENTERED AT 10:33:57 ON 29 OCT 2004
SEA AMIHOPE

ACCESSION NUMBER: 2004:271479 CAPLUS Full-text
DOCUMENT NUMBER: 140:275776
TITLE: Aggregation-free cosmetic powders with good adhesion to skin
INVENTOR(S): Ozawa, Yuko; Matsushita, Atsushi
PATENT ASSIGNEE(S): Kosei Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 12 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.
JP 2004099458	A2	20040402	JP 2002-259613
20020905			JP 2002-259613
PRIORITY APPLN. INFO.:			
20020905			

L7 ANSWER 4 OF 63 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

ACCESSION NUMBER: 1415639 EUROPATFULL EW 200419 FS OS
Full-text
TITLE: COMETICS AND MAKEUP METHOD.
KOSMETIKA UND MAKEUP-METHODE.
COSMETIQUES ET PROCEDE DE MAQUILLAGE.
INVENTOR(S): KURODA, Akihiro, 1006, Renshoji, Odawara-shi,
Kanagawa 250-0865, JP;
EGAWA, Yuichiro, 309-28, Kuno, Odawara-shi,
Kanagawa 250-0055, JP;
SANO, Shoko, 16-7, Arai 1-chome, Nakano-ku,
Tokyo 165-0026, JP;
TOYODA, Takamasa, 40-14, Ougicho 1-chome,
Odawara-shi, Kanagawa 250-0001, JP;
NIKUNI, Junko, 20-3, Kotobukicho 4-chome,
Odawara-shi, Kanagawa 250-0002, JP
PATENT ASSIGNEE(S): Kanebo, Limited, 17-4, Sumida 5-chome, Sumida-ku, Tokyo
PATENT ASSIGNEE NO: 131-0031, JP
AGENT: 4198680
Patentanwaelte Muschke, Markus, Dipl.-Phys. et al.,
Dipl.-Ing. Schwabe, Dr.Dr. Sandmair, Dr. Marx,
Stuntzstrasse 16, 81677 Muenchen, DE 78712
AGENT NUMBER: MEPA2004037 EP 1415639 A1 0029
OTHER SOURCE:

41 FILE CAPLUS
2 FILE CBNB
3 FILE CIN
1 FILE EMA
16 FILE EUROPATFULL
12 FILE FRFULL
4 FILE JICST-EPLUS
2 FILE KOSMET
14 FILE PATDPFULL
10 FILE PCTFULL
9 FILE PROMT
1 FILE TEMA
3 FILE TOXCENTER
34 FILE USPATFULL
3 FILE USPAT2
1 FILE WPIDS
1 FILE WPINDEX
L1 QUE AMIHOPE

FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:37:07 ON 29 OCT 2004
L2 46 S L1
L3 44 DUP REM L2 (2 DUPLICATES REMOVED)
L4 36 L3 AND PD<20030428
FILE 'STNGUIDE' ENTERED AT 10:39:36 ON 29 OCT 2004
FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:41:02 ON 29 OCT 2004
FILE 'STNGUIDE' ENTERED AT 10:41:04 ON 29 OCT 2004

INDEX 'IMOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA, ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS, BIBLIODATA, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, BLADB, CABA, CANCERLIT, ...' ENTERED AT 10:43:34 ON 29 OCT 2004

SEA AMIHOPE LL
41 FILE CAPLUS
2 FILE CBNB
3 FILE CIN
1 FILE EMA
11 FILE EUROPATFULL
8 FILE FRFULL
4 FILE JICST-EPLUS
8 FILE PATDPFULL
8 FILE PCTFULL
6 FILE PROMT
1 FILE TEMA
3 FILE TOXCENTER
23 FILE USPATFULL

3 FILE USPAT2
1 FILE WPIDS
1 FILE WPINDEX
1 QUE AMIHOPE LL
SEA F1,F3,F10,F9,F4,F3

L5

FILE 'CAPLUS, EUROPATFULL, TOXCENTER, CIN, FRFULL' ENTERED AT
10:45:40 ON
29 OCT 2004
L8 0 L7 AND HANABUSA

=> d his 15-8
'L5-8' IS NOT VALID HERE
For an explanation, enter "HELP DISPLAY HISTORY".

=> d his 15-

(FILE 'STNGUIDE' ENTERED AT 10:39:36 ON 29 OCT 2004)

FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:41:02 ON 29 OCT
2004

FILE 'STNGUIDE' ENTERED AT 10:41:04 ON 29 OCT 2004

INDEX 'IMOBILITY, ZMOBILITY, ABI-INFORM, ADISCTI, AFROSPACE,
AGRICOLA,
ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE,
BABS,
BIBLIODATA, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS,
BIOTECHABS,
BIOTECHDS, BIOTECHNO, BLDB, CABA, CANCERLIT, ...' ENTERED AT
10:43:34 ON
29 OCT 2004

SEA AMIHOPE LL

41 FILE CAPLUS
2 FILE CBNB
3 FILE CIN
1 FILE EMA
11 FILE EUROPATFULL
8 FILE FRFULL
4 FILE JICST-EPLUS
8 FILE PATDPAFULL
8 FILE PCTFULL
6 FILE PROMT
1 FILE TEMA
3 FILE TOXCENTER
23 FILE USPATFULL
3 FILE USPAT2
1 FILE WPIDS
1 FILE WPINDEX
1 QUE AMIHOPE LL
SEA F1,F3,F10,F9,F4,F3

L5

FILE 'CAPLUS, EUROPATFULL, TOXCENTER, CIN, FRFULL' ENTERED AT
10:45:40 ON
29 OCT 2004
L8 0 L7 AND HANABUSA

=> s 15
L9 66 L5

=> 19 and pd<20030428
3 FILES SEARCHED...
4 FILES SEARCHED...
L10 56 L9 AND PD<20030428

=> d 110 1-5 ibib

L10 ANSWER 1 OF 56 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:274856 CAPLUS Full-text
DOCUMENT NUMBER: 138:276011
TITLE: Modified powder with good smoothness and
hiding power and appropriate transparency and makeup
stock
INVENTOR(S): Kuroda, Akihiro; Niikuni, Junko; Sano,
Akiko; Sano,
PATENT ASSIGNEE(S): Hiromitsu
SOURCE: Kanebo, Ltd., Japan
Jpn. Kokai Tokkyo Koho, 11 pp.
CODEN: JKKXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
JP 2003105221	A2	20030409	JP 2001-297610	
20010927 <--				
PRIORITY APPLN. INFO.:			JP 2001-297610	
20010927				

L10 ANSWER 2 OF 56 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:196412 CAPLUS Full-text
DOCUMENT NUMBER: 138:226380
TITLE: N-Acyllysine-treated composite powders,
their manufacture, and cosmetics containing them
INVENTOR(S): Toyota, Takemasa; Matsui, Junichi
PATENT ASSIGNEE(S): Kanebo, Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 10 pp.
CODEN: JKKXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
JP 2003073234	A2	20030312	JP 2001-260909	
20010830 <--				
JP 3545371	B2	20040721	JP 2001-260909	
PRIORITY APPLN. INFO.:				
20010830				

L10 ANSWER 3 OF 56 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:154209 CAPLUS Full-text
DOCUMENT NUMBER: 138:192883
TITLE: Cosmetic makeups containing mineral powders
Kuroda, Akihiro; Egawa, Yuichiro; Sano,
Shoko; Toyoda,
PATENT ASSIGNEE(S): Takamasa; Niikuni, Junko
SOURCE: Kanebo, Ltd., Japan
PCT Int. Appl., 53 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
WO 2003015723	A1	20030227	WO 2002-JP8105	
20020807 <--				
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, ND, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1415639	A1	20040506	EP 2002-760584	
20020807				
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
US 2004202627	A1	20041014	US 2004-486334	
20040210				
PRIORITY APPLN. INFO.:			JP 2001-243364	A
20010810			JP 2001-252457	A
20010823			JP 2001-252459	A
20010823			JP 2002-131197	A
20020507			JP 2002-131198	A
20020507			WO 2002-JP8105	W
20020807				
REFERENCE COUNT: 11			THERE ARE 11 CITED REFERENCES	
AVAILABLE FOR THIS			RECORD. ALL CITATIONS AVAILABLE IN THE	
RE FORMAT				

L10 ANSWER 4 OF 56 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2002:256562 CAPLUS Full-text
DOCUMENT NUMBER: 136:281203
TITLE: Textile auxiliaries with good softening
effect for cellulosic textile and good durability to
washing and keeping the softness for a long period
Kurauchi, Masahiko; Furuta, Kiyonori; Sato,
Hiroaki
INVENTOR(S): Ajinomoto Co., Inc., Japan
PATENT ASSIGNEE(S): PCT Int. Appl., 15 pp.
SOURCE: CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
WO 2002027093	A1	20020404	WO 2001-JP8560	
20010928 <--				
W: US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR				
JP 2002105856	A2	20020410	JP 2000-299503	
20000929 <--				
PRIORITY APPLN. INFO.:			JP 2000-299503	A
20000929				
REFERENCE COUNT: 6			THERE ARE 6 CITED REFERENCES AVAILABLE	
FOR THIS			RECORD. ALL CITATIONS AVAILABLE IN THE	
RE FORMAT				

L10 ANSWER 5 OF 56 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2001:736999 CAPLUS Full-text
DOCUMENT NUMBER: 135:293706
TITLE: Composite powders containing ester oils and N-acyl
INVENTOR(S): lysine for cosmetics
Hiromitsu Matsui, Junichi; Egawa, Yuichiro; Sano,
PATENT ASSIGNEE(S): Kanebo, Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 12 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
JP 2001279129	A2	20011010	JP 2000-93151	
20000330 <--				
JP 3529695	B2	20040524	JP 2000-93151	
PRIORITY APPLN. INFO.: 20000330				

=> L10 and english/la
L11 5 L10 AND ENGLISH/LA

=> d l11 1-5 ibib abs kwic hitstr

L11 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1997:522578 CAPLUS Full-text
DOCUMENT NUMBER: 127:122455
TITLE: Fiber-reinforced resin composition for products with
INVENTOR(S): high bending strength and toughness
Ohashi, Junji; Tanaka, Hiroyuki
PATENT ASSIGNEE(S): Ajinomoto Co., Ltd., Japan
SOURCE: Eur. Pat. Appl., 12 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
EP 781802	A2	19970702	EP 1996-120909	
19961227 <--				
EP 781802	A3	19980311		
R: DE, FR, GB, IT				
JP 09176373	A2	19970708	JP 1995-341249	
19951227 <--				
PRIORITY APPLN. INFO.: JP 1995-341249				

W: JP
RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE
US 4965071 A 19901023 US 1988-259713
19881019 <--
CA 2000866 AA 19900419 CA 1989-2000866
19891017 <--
PRIORITY APPLN. INFO.: US 1988-259713
19881019

AB A wrinkle-masking compn. temporarily eliminates fine line wrinkles and blemishes of the skin by filling, covering, or masking them. The composition includes a film-forming polymer, a plasticizer for the polymeric matrix, a biopolymeric modifier and a filler including aluminosilicate. Optionally, the composition includes cosmetic additives, e.g., pigments, rheol. control agents, binders and preservatives. The composition is easy to apply, rapidly dries to a satisfactory texture, and is resistant to skin secretion which enhances the long wearing capabilities of the composition. The dried composition effectively covers the fine line wrinkles of the face. Thus, a wrinkle-masking gel consisted of Flexan 130 (30%) 2.43, CMC-7MP 2.43, PEG 4.05, glycerin 6.49, hexylene glycol 1.22, hyaluronic acid (1%) 0.81, Pancogene-S (0.3%) 4.05, Avicel RC-591 1.62, Valfor 281-352 2.03, Amihope-LL 0.08, Carbopol 941 0.08, Kathon CG 0.65 and distilled water 74.06 g.

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
WO 9004383 A1			19900503	WO 1989-US4624

PI WO 9004383 A1 19900503
19891016 <--
W: JP
RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE
US 4965071 A 19901023 US 1988-259713
19881019 <--
CA 2000866 AA 19900419 CA 1989-2000866
19891017 <--
LA English

AB PEG 4.05, glycerin 6.49, hexylene glycol 1.22, hyaluronic acid (1%) 0.81, Pancogene-S (0.3%) 4.05, Avicel RC-591 1.62, Valfor 281-352 2.03, Amihope-LL 0.08, Carbopol 941 0.08, Kathon CG 0.65 and distilled water 74.06 g.

L11 ANSWER 3 OF 5 CIN COPYRIGHT 2004 ACS on STN
AB Amihope LL is a functional white fine powder developed by Ajinomoto Co., Inc. Derived from natural materials - L-lysine and lauric acid - the powder doesn't irritate skin nor cause skin sensitization or photosensitization. Amihope LL is highly water repellent, moderately antioxidant, and has good lubricating power.
SO Soap, Cosmet., Chemical Spec., Apr 1991 (910400), 67(4), p. 141.
ISSN: 0091-1372; CODEN: SCCSC8.
LA English
AB Amihope LL is a functional white fine powder developed by Ajinomoto Co., Inc. Derived from natural materials - L-lysine

19951227
OTHER SOURCE(S): MARPAT 127:122455
AB A fiber-reinforced resin compn. comprises resin, reinforcing fibers and a particular P compound comprising an unsatd. double bond or a combination of the P compound and, optionally a particular surfactant, for increased strength, especially increased impact resistance and increased rigidity. Thus, glass fiber cloth was impregnated with unsatd. polyester (Polymal 93052), catalyst 1:1 mono(2-methacryloyloxyethyl) acid phosphate and di(2-methacryloyloxyethyl) acid phosphate, molded, and cured at 90° for 2 h to give a prepreg having bending strength 970 kg/cm2 and Charpy impact strength 9.4 kg-cm/cm2; vs. 370 and 5.5, resp., without phosphate fiber coupling agent.

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
EP 781802 A2			19970702	EP 1996-120909
19961227 <--				
EP 781802	A3	19980311		
R: DE, FR, GB, IT				
JP 09176373	A2	19970708	JP 1995-341249	

19951227 <--
LA English
IT 9011-14-7, Acry Sirup SY-430 27176-87-0,
Dodecylbenzenesulfonic acid 56831-62-0, Phoslex A 13
52315-75-0, Amihope LL 119548-46-8, Famex A-12 157090-89-6,
77704-57-5, Amisoft LK-11

6, Phosphanol RS-710
RL: MOA (Modifier or additive use); USES (Uses)
(surfactant; fiber-reinforced resin composition for products with high bending strength and toughness)

L11 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1990:617804 CAPLUS Full-text
DOCUMENT NUMBER: 113:217804
TITLE: wrinkle-masking composition containing film-forming polymers

INVENTOR(S): Kawan, Antoine
PATENT ASSIGNEE(S): Gillette Co., USA
SOURCE: PCT Int. Appl., 27 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
WO 9004383	A1	19900503	WO 1989-US4624	
19891016 <--				

and lauric acid - the powder doesn't irritate skin nor cause skin sensitization or photosensitization. Amihope LL is highly water repellent, moderately antioxidant, and has good lubricating power.

RN 143-07-7 (LAURIC ACID)
52315-75-0 (AMIHOPE LL)
56-87-1Q, 25104-18-1Q (L-LYSINE)
56-87-1Q, 25104-18-1Q (LYSINE)

L11 ANSWER 4 OF 5 CIN COPYRIGHT 2004 ACS on STN
AB Amihope LL, new from Ajinomoto USA, Inc., Teaneck, N.J., is a condensation product of L-lysine and lauric acid that is said to afford smooth touch, excellent lubrication and a high affinity for skin as well as a binding effect with surface modification of inorganic powders. According to the manufacturer, the water repellency and decrease in oil absorption with good stability and safety improve virtually all powder formulations. Other properties claimed for the new compound are modest antioxidant ability, chelating ability for heavy metals, a pH that approximates skin pH and a smooth spreading ability that enhances topical formulations.

SO Soap, Cosmet., Chemical Spec., Jun 1988 (880600), 64(6), p. 73.

ISSN: 0091-1372; CODEN: SCCSC8.

LA English
AB Amihope LL, new from Ajinomoto USA, Inc., Teaneck, N.J., is a condensation product of L-lysine and lauric acid that is said to.

RN 142-47-2 (AJINOMOTO)
143-07-7 (LAURIC ACID)
52315-75-0 (AMIHOPE LL)
56-87-1Q, 25104-18-1Q (L-LYSINE)
56-87-1Q, 25104-18-1Q (LYSINE)

L11 ANSWER 5 OF 5 CIN COPYRIGHT 2004 ACS on STN
AB Ajinomoto USA Inc., Teaneck, N.J., is now selling Amihope LL, a product developed by its Japanese parent company for powder cosmetic formulations.

SO Chemical Mark. Rep., 23 May 1988 (880523), 233(21), p. 22.

ISSN: 0090-0907;
CODEN: CMKRA5.

LA English
AB Ajinomoto USA Inc., Teaneck, N.J., is now selling Amihope LL, a product developed by its Japanese parent company for powder cosmetic formulations.

RN 142-47-2 (AJINOMOTO)
52315-75-0 (AMIHOPE LL)

=> FIL REGISTRY
COST IN U.S. DOLLARS
TOTAL
SESSION
FULL ESTIMATED COST
109.37
SINCE FILE
ENTRY
72.21

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE
TOTAL ENTRY

SESSION
CA SUBSCRIBER PRICE -1.40
1.40

FILE 'REGISTRY' ENTERED AT 11:17:23 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 27 OCT 2004 HIGHEST RN 770693-70-4
DICTIONARY FILE UPDATES: 27 OCT 2004 HIGHEST RN 770693-70-4

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for
details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> S 52315-75-0/RN
L12 1 52315-75-0/RN

=> FIL CAPLUS
COST IN U.S. DOLLARS SINCE FILE

TOTAL ENTRY

SESSION
FULL ESTIMATED COST 0.42
109.79

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE
TOTAL ENTRY

SESSION
CA SUBSCRIBER PRICE 0.00
1.40

FILE 'CAPLUS' ENTERED AT 11:17:58 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available

alcs., cyclic ethers, aromatic solvents and acetonitrile.
Various oxalyl amide derivs. with different alkyl ester groups
such as hexyl, decyl, dodecyl, 2-ethyl-1-hexyl and 3,5,5-
trimethylhexyl also showed good organogelation abilities.
Furthermore, it was found that the cyclohexane gels formed by
some oxalyl amide derivs. have a high thermal stability.
IT 52315-75-0
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation, organogelation property and thermal stability
of bis-lysine
amides linked by alkylene chains)

=> S L13 AND (PD<20030428)
23301822 PD<20030428
(PD<20030428)
L15 16 L13 AND (PD<20030428)

=> FIL REGISTRY
COST IN U.S. DOLLARS SINCE FILE

TOTAL ENTRY

SESSION
FULL ESTIMATED COST 11.02
120.81

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE
TOTAL ENTRY

SESSION
CA SUBSCRIBER PRICE -0.70
2.10

FILE 'REGISTRY' ENTERED AT 11:19:02 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 27 OCT 2004 HIGHEST RN 770693-70-4
DICTIONARY FILE UPDATES: 27 OCT 2004 HIGHEST RN 770693-70-4

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for
details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or
storing of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 29 Oct 2004 VOL 141 ISS 18
FILE LAST UPDATED: 27 Oct 2004 (20041027/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> S (L12/RCT OR L12/RACT)
201 L12
2671677 RCT/RL
20 L12/RCT
(L12 (L) RCT/RL)
201 L12
2674276 RACT/RL
20 L12/RACT
(L12 (L) RACT/RL)
L13 20 (L12/RCT OR L12/RACT)

=> S L13 AND 1997<=PY<=2003
6397491 1997<=PY<=2003
L14 9 L13 AND 1997<=PY<=2003

=> DIS L14 1 CBIB ABS HITRN

L14 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN
2003:878000 Document No. 140:181736 L-Lysine based gemini
organogelators:
their organogelation properties and thermally stable organogels.
Suzuki,
Masahiro; Nigawara, Tomomi; Yumoto, Mariko; Kimura, Mutsumi;
Shirai,
Hiroyfusa; Hanabusa, Kenji (Graduate School of Science and
Technology,
Shinshu University, Ueda, Nagano, 386-8567, Japan). Organic &
Biomolecular Chemistry, 1(22), 4124-4131 (English) 2003. CODEN:
OBCRAK. ISSN: 1477-0520. Publisher: Royal Society of
Chemistry.

AB Novel gemini organogelators based on L-lysine, in which two L-
lysine derivs. are linked by different alkylene chain lengths
through the amide bond, have been simply and effectively
synthesized, and their organogelation abilities and thermal
stabilities have been investigated. In a series of L-lysine Et
ester derivs., the organogelation abilities decreased with
increasing alkylene spacer length. In particular, bis(Ne-
tauroyl-L-lysine Et ester)oxalyl amide,
H23C11CONH(CH2)4CH(CO2Et)NH-COCO-NHCH(CO2Et)(CH2)4NHCOCl1H23, is
a good organogelator that gels most organic solvents such as

=> file hcaplus
COST IN U.S. DOLLARS SINCE FILE
TOTAL ENTRY

SESSION
FULL ESTIMATED COST 0.42
121.23

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE
TOTAL ENTRY

SESSION
CA SUBSCRIBER PRICE 0.00
2.10

FILE 'HCAPLUS' ENTERED AT 11:19:10 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
the American Chemical Society and is provided to assist you in
searching databases on STN. Any dissemination, distribution, copying, or
storing of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 29 Oct 2004 VOL 141 ISS 18
FILE LAST UPDATED: 27 Oct 2004 (20041027/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> s 115
QUERY TOO LARGE
The logic expression you entered exceeded the maximum
size allowed for queries. Please simplify or subdivide
the query and try again.

=> 115
QUERY TOO LARGE
The logic expression you entered exceeded the maximum
size allowed for queries. Please simplify or subdivide
the query and try again.

=> file reg
COST IN U.S. DOLLARS SINCE FILE
TOTAL ENTRY

SESSION

FULL ESTIMATED COST 2.36
123.59
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE
TOTAL ENTRY
SESSION
CA SUBSCRIBER PRICE 0.00
2.10
FILE 'REGISTRY' ENTERED AT 11:19:24 ON 29 OCT 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE 'HELP USAGETERMS' FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)
Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 27 OCT 2004 HIGHEST RN 770693-70-4
DICTIONARY FILE UPDATES: 27 OCT 2004 HIGHEST RN 770693-70-4

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for
details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.htm>

=> d 115 1-5 ibib abs kwic
YOU HAVE REQUESTED DATA FROM FILE 'CAPLUS' - CONTINUE? (Y)/N:y

L15 ANSWER 1 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:878000 CAPLUS Full-text
DOCUMENT NUMBER: 140:181736
TITLE: L-lysine based gemini organogelators: their
organogelation properties and thermally
stable organogels
AUTHOR(S): Suzuki, Masahiro; Nigawara, Tomomi; Yumoto,
Mariko; Kimura, Mutsumi; Shirai, Hirofusa; Hanabusa,
Kenji
CORPORATE SOURCE: Graduate School of Science and Technology,
Shinshu University, Ueda, Nagano, 386-8567, Japan
SOURCE: Organic & Biomolecular Chemistry (2003),
1(22), 4124-4131
CODEN: OBCRAK; ISSN: 1477-0520
PUBLISHER: Royal Society of Chemistry

CORPORATE SOURCE: Graduate School of Science and Technology,
Shinshu University, Ueda Nagano, 386-8568, Japan
SOURCE: Langmuir (2003), 19(21), 8622-8624
CODEN: LANGD5; ISSN: 0743-7463
PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 139:33767
AB The authors synthesized novel L-lysine derivs.
R2CONHCH[(CH2)4NHCOR3]CO2R1 that were classified into three
groups, urea-urea types (R1 = Me; R2 = R3 = NHC6H13, NHC8H17,
NHC12H25), amide-urea types (R1 = Et; R3 = C11H23; R2 = NHC6H13,
NHC12H25, NHC18H37), and amide-amide type (R1 = Et, R2 = R3 =
C11H23), and examined the effects of hydrogen bonding and van
der Waals interactions on the organogelation behavior. Among
these compds., gelator (R1 = Et; R3 = C11H23; R2 = NHC12H25) has
the best organogelation ability. Moreover, the organogelation
can be achieved at room temperature through the direct synthesis
of gelators in organic solvents.

REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES
AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE
RE FORMAT
SO Langmuir (2003), 19(21), 8622-8624
CODEN: LANGD5; ISSN: 0743-7463
IT 111-26-2, n-Hexylamine 111-86-4, n-Octylamine 112-16-3,
Dodecanoyl chloride 112-96-9 124-22-1, n-Dodecylamine 2525-62-4,
Hexylisocyanate 4202-38-4, Dodecylisocyanate 45158-78-9
52315-75-0 292140-08-0
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of amide and urea derivs. of lysine)

L15 ANSWER 3 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:627026 CAPLUS Full-text
DOCUMENT NUMBER: 139:337687
TITLE: New gemini organogelators linked by oxalyl
amide: organogel formation and their thermal
stabilities
AUTHOR(S): Suzuki, Masahiro; Nigawara, Tomomi; Yumoto,
Mariko; Kimura, Mutsumi; Shirai, Hirofusa; Hanabusa,
Kenji
CORPORATE SOURCE: Graduate School of Science and Technology,
Shinshu University, Ueda, Nagano, 386-8567, Japan
SOURCE: Tetrahedron Letters (2003), 44(36),
6841-6843
CODEN: TELEAY; ISSN: 0040-4039
PUBLISHER: Elsevier Science B.V.
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 139:337687
AB New gemini organogelators linked by an oxalyl amide that can be
easily, effectively, and cheaply synthesized have good

DOCUMENT TYPE: Journal
LANGUAGE: English
AB Novel gemini organogelators based on L-lysine, in which two L-
lysine derivs. are linked by different alkylene chain lengths
through the amide bond, have been simply and effectively
synthesized, and their organogelation abilities and thermal
stabilities have been investigated. In a series of L-lysine Et
ester derivs., the organogelation abilities decreased with
increasing alkylene spacer length. In particular, bis(Nc-
lauroyl-L-lysine Et ester)oxalyl amide,
H23C11CONH(CH2)4CH(CO2Et)NH-COCO-NHCH(CO2Et)(CH2)4NHCOC11H23, is
a good organogelator that gels most organic solvents such as
alcs., cyclic ethers, aromatic solvents and acetonitrile.
Various oxalyl amide derivs. with different alkyl ester groups
such as hexyl, decyl, dodecyl, 2-ethyl-1-hexyl and 3,5,5-
trimethylhexyl also showed good organogelation abilities.
Furthermore, it was found that the cyclohexane gels formed by
some oxalyl amide derivs. have a high thermal stability.

REFERENCE COUNT: 40 THERE ARE 40 CITED REFERENCES
AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE

RE FORMAT
SO Organic & Biomolecular Chemistry (2003), 1(22), 4124-4131
CODEN: OBCRAK; ISSN: 1477-0520
IT 79-37-8, Oxalyl chloride 111-19-3, Sebacyl chloride 111-27-
3, n-Hexanol, reactions 111-50-2, Adipoyl chloride 112-16-3,
Lauroyl chloride 112-30-1, 1-Decanol 112-53-8, Dodecyl alcohol
123-98-8, Azelaoyl chloride 142-79-0, Pimeloyl chloride 543-20-4,
Succinyl chloride 1663-67-8, Malonyl chloride 2873-74-7, Glutaryl
chloride 3452-97-9, 3,5,5-Trimethylhexanol 4834-98-4, Dodecanedioyl
dichloride 10027-07-3, Suberoyl chloride 52315-75-0
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation, organogelation property and thermal stability
of bis-lysine amides linked by alkylene chains)

L15 ANSWER 2 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2003:738829 CAPLUS Full-text
DOCUMENT NUMBER: 139:323767
TITLE: Effects of Hydrogen Bonding and van der
Waals Interactions on Organogelation Using
Designed Low-Molecular-Weight Gelators and Gel
Formation at Room Temperature
AUTHOR(S): Suzuki, Masahiro; Nakajima, Yasushi; Yumoto,
Mariko; Kimura, Mutsumi; Shirai, Hirofusa; Hanabusa,
Kenji

organogelation abilities and their cyclohexane gels have
superior thermal stabilities; especially 7 possessing the
branched alkyl ester can gel at 0.7 wt% cyclohexane even at
70°C.
REFERENCE COUNT: 36 THERE ARE 36 CITED REFERENCES
AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE
RE FORMAT
SO Tetrahedron Letters (2003), 44(36), 6841-6843
CODEN: TELEAY; ISSN: 0040-4039
IT 52315-75-0, N-Lauroyl-L-lysine 292140-08-0 340811-55-4
521974-57-2 615584-87-7 615584-88-8 615584-89-9
RL: RCT (Reactant); RACT (Reactant or reagent)
(NMR and FT-IR on gelation of prepared gemini oxalyl-amide
linked organogelators)

L15 ANSWER 4 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2002:256562 CAPLUS Full-text
DOCUMENT NUMBER: 136:281203
TITLE: Textile auxiliaries with good softening
effect for cellulosic textile and good durability to
washing and keeping the softness for a long period
INVENTOR(S): Kurauchi, Masahiko; Furuta, Kiyonori; Sato,
Hiroyuki
PATENT ASSIGNEE(S): Ajinomoto Co., Inc., Japan
SOURCE: PCT Int. Appl., 15 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
20010928	WO 2002027093	A1	20020404	WO 2001-JP8560
	US			
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU,			
	MC, NL, PT, SE, TR			
	JP 2002105856	A2	20020410	JP 2000-299503
	20000929			
	PRIORITY APPLN. INFO.:			JP 2000-299503 A
	20000929			
	GI			

IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
US 6656499 B1 20031202 US 2000-709691
20001110
IT 52315-75-0P 92603-37-7P 292140-08-0P
RL: RCT (Reactant); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation);
RACT
(Reactant or reagent); USES (Uses)
(preparation of acylated amino acids for transdermal and
transmucosal drug
absorption)

L15 ANSWER 7 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2000:645986 CAPLUS Full-text
DOCUMENT NUMBER: 133:223046
TITLE: Preparation of N-acylamino acid ester
derivatives as
gelling or coagulating agents for liquid
organic media
INVENTOR(S): Hanabusa, Kenji; Nakayama, Hiroko; Kimura,
Mutsumi;
PATENT ASSIGNEE(S): Shirai, Hirofusa
Ajinomoto Co., Inc., Japan
SOURCE: PCT Int. Appl., 17 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:


DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
-----	-----	-----	-----	-----
WO 2000053576	A1	20000914	WO 2000-JP1234	
20000302 <--				
W: US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU,				
MC, NL,				
PT, SE				
JP 2000256303	A2	20000919	JP 1999-64328	
19990311 <--				
PRIORITY APPLN. INFO.:			JP 1999-64328	A
19990311				
OTHER SOURCE(S):			MARPAT 133:223046	

AB The title compds. R1CONH(CH2)nCH(NHCONHR3)CO2R2 (wherein R1 is
linear or branched C7-C21 alkyl or alkenyl; R2 is linear,
branched or cyclic C1-C22 alkyl or alkenyl; R3 is linear,
branched or cyclic C8-C22 alkyl or alkenyl; and n is an integer
of 2 to 4) are prepared. The title compds. are useful in the
control of oil spill, etc. These esters can gel or coagulate a
wide variety of liquid organic media by the addition thereof
even in a small amount to give gels excellent in long-term and
ordinary-temperature stability, and can be synthesized by an
easy and simple process, thus being useful as excellent gelling

RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU,
MC, NL,
PT, SE
PRIORITY APPLN. INFO.:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
-----	-----	-----	-----	-----
DE 1998-19829746	A			

19980703
OTHER SOURCE(S): MARPAT 132:80075
GI



AB MO2CCHRN[(2CO2M)x]Z1(CO2M)y [R = C3-30 org. residue contg. ≥1 CO
group; M = H, alkali metal, alkaline earth metal,
(un)substituted ammonium; Z, Z1 = C1-3 alkylene; x, y = 1, 2],
useful as complexing agents and surface-active additives for
laundry detergents, were prepared, e.g., by Strecker reaction of
ε-lauroyl-L-lysine (I). Thus, 65.6 g I was suspended in 200 mL
H2O, 5.9 g of 33% aqueous NaCN solution was added, the mixture
was heated to 80°, then treated dropwise over 1 h simultaneously
with 53.5 g NaCN solution and 40 g of 30% aqueous HCHO solution,
the clear solution was heated for 3 h at 80° with bubbling N
through the reaction mixture to remove NH3, the residual cyanide
was eliminated by adding 1.45 g HCHO and the whole heated for 3 h
at 95°, cooled to ambient temperature and acidified (pH 2) with
HCl to give 87.3% Me(CH2)10CONH(CH2)4CH(CO2H)N(CH2CO 2H)2. The
latter compound which had Ca binding capacity 1.77 mmol/g was
included in laundry detergent compns. to show ash content
reduction in cotton fabric laundered with the compns.

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE
FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE
RE FORMAT
PI DE 19829746 A1 20000105
DATE PATENT NO. KIND DATE APPLICATION NO.

PI DE 19829746 A1 20000105 DE 1998-19829746
19980703 <--
WO 2000001661 A2 20000113 WO 1999-EP4313
19990622 <--
WO 2000001661 A3 20000713
W: CA, JP, US
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU,
MC, NL,
PT, SE
IT 52315-75-0
RL: RCT (Reactant); RACT (Reactant or reagent)
(Strecker reaction; manufacture of glycine-N,N-carboxylic
acid derivs. with
carbonyl-containing side chains as complexing agents and

or coagulating agents. Nε-Octadecylcarbamoyl-N-ω-lauroyllsine
Me ester 25 mg caused the gelling of 1 mL methanol.
REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE
FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE

RE FORMAT	PI	WO	2000053576	A1	20000914	DATE	APPLICATION NO.
-----	-----	-----	-----	-----	-----	-----	-----
PI WO 2000053576	A1	20000914	WO 2000-JP1234				
20000302 <--							
W: US							
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU,							
MC, NL,							
PT, SE							
JP 2000256303	A2	20000919	JP 1999-64328				
19990311 <--							
IT 111-36-4, Butylisocyanate	112-96-9, Octadecylisocyanate						
3173-53-3,							
Cyclohexylisocyanate	52315-75-0, Nε-Lauroyl-L-lysine						
RL: RCT (Reactant); RACT (Reactant or reagent)							
(preparation of N-acylamino acid ester derivs. as gelling or							
coagulating							
agents for liquid organic media)							

L15 ANSWER 8 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2000:15624 CAPLUS Full-text
DOCUMENT NUMBER: 132:80075
TITLE: Manufacture of glycine-N,N-carboxylic acid
derivatives
with carbonyl-containing side chains and
their use in
washing and cleaning agents
INVENTOR(S): Detering, Jürgen; Bertleff, Werner; Oftring,
Alfred;
PATENT ASSIGNEE(S): Rahm, Rainer
BASF A.-G., Germany
SOURCE: Ger. Offen., 22 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
-----	-----	-----	-----	-----
DE 19829746	A1	20000105	DE 1998-19829746	
19980703 <--				
WO 2000001661	A2	20000113	WO 1999-EP4313	
19990622 <--				
WO 2000001661	A3	20000713		
W: CA, JP, US				

surfactants for
washing and cleaning compns.)

L15 ANSWER 9 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1999:233412 CAPLUS Full-text
DOCUMENT NUMBER: 131:46350
TITLE: Synthesis and properties of asymmetrical
nonionic
double chain surfactants from lysine
AUTHOR(S): Infante, Ma.; Seguer, J.; Pinazo, A.;
Vinardell, Ma.
CORPORATE SOURCE: Dpt. Tec. Tensioactivos.Centro de
Investigacion y
Desarrollo (CSIC), Barcelona, 08034-, Spain
JOURNAL OF DISPERSION SCIENCE AND TECHNOLOGY
(1999), 20(1 & 2), 621-642
CODEN: JDTEDS; ISSN: 0193-2691
PUBLISHER: Marcel Dekker, Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English

AB New monodisperse nonionic surfactant mols. based on lysine with
two different fatty acid chains in the hydrophobic part and one
or two polyoxyethylene methoxy capped chain s (EO_n-Me) in the
hydrophilic head group were synthesized and their physicochem.
and toxicity properties were compared to the sym. homologs with
the same number of methylene groups in the acyl fatty chains.
The asymmetry results in higher surface active properties and in
a greater capacity for micellization when compared with their
sym. analogs, albeit with a slight increase in toxicity.

REFERENCE COUNT: 22 THERE ARE 22 CITED REFERENCES
AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE

RE FORMAT
SO Journal of Dispersion Science and Technology (1999), 20(1 & 2),
621-642
CODEN: JDTEDS; ISSN: 0193-2691
IT 5732-47-8P 14479-93-7P, Lysine laurate 31576-51-9P 52315-75-
OP 85030-56-4P, 2,5,8,11-Tetraoxatridecan-13-amine 184357-46-8P,
2,5,8,11,14,17-Hexaoxonadecan-19-amine 227099-62-9P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP
(Preparation); RACT (Reactant or reagent)
(intermediate; synthesis and properties of asym. nonionic
double chain
surfactants from lysine)

L15 ANSWER 10 OF 16 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1996:388230 CAPLUS Full-text
DOCUMENT NUMBER: 125:41772
TITLE: Amino acid-type glycolipids as stabilizers
and
liposomes containing the stabilizers
INVENTOR(S): Saito, Akihisa; Suzuki, Takanao; Takeoka,
Shinji;
PATENT ASSIGNEE(S): Sakai, Hiromi; Tsuchida, Hidetoshi
Chiba Seifun Kk, Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 8 pp.
DOCUMENT TYPE: CODEN: JKXXAF
LANGUAGE: Patent
FAMILY ACC. NUM. COUNT: 1 Japanese
PATENT INFORMATION:

DATE	PATENT NO.	KIND	DATE	APPLICATION NO.
	JP 08092067	A2	19960409	JP 1994-252791
19940922 <---	JP 3529058	B2	20040524	
PRIORITY APPLN. INFO.: 19940922				JP 1994-252791
AB	Amino acid-type glycolipids such as 1,5-ditetradecyl-N-maltopentaonoyl-L- glutamate (I) as stabilizers and liposomes containing the stabilizers are claimed. Thus, 1,2-dipalmitoyl-sn-glycero-3-phosphorylcholine, cholesterol, palmitic acid, I and insulin were mixed and made into stable insulin-containing liposomes.			
PI	JP 08092067	A2	19960409	Heisei
PATENT NO.		KIND	DATE	APPLICATION NO.
DATE				

PI	JP 08092067	A2	19960409	JP 1994-252791
19940922 <---	JP 3529058	B2	20040524	
IT	56-84-8, L-Aspartic acid, reactions 56-86-0, Glutamic acid, reactions 112-92-5, Octadecyl alcohol 9004-53-9, Dextrin 34620-76-3, Maltopentaose 36653-82-4, Hexadecyl alcohol 52315-75-0 178168-52-0			
RL:	RCT (Reactant); RACT (Reactant or reagent) (amino acid-type glycolipids as stabilizers and liposomes containing the stabilizers)			

=> DIS HIST

(FILE 'HOME' ENTERED AT 10:31:27 ON 29 OCT 2004)
FILE 'HCAPLUS' ENTERED AT 10:31:42 ON 29 OCT 2004
FILE 'REGISTRY' ENTERED AT 10:31:54 ON 29 OCT 2004
E LAURYL LYSINE/CN
FILE 'HCAPLUS' ENTERED AT 10:31:54 ON 29 OCT 2004
FILE 'REGISTRY' ENTERED AT 10:32:48 ON 29 OCT 2004
E LAUROYL LYSINE/CN
FILE 'HCAPLUS' ENTERED AT 10:32:48 ON 29 OCT 2004

3	FILE CIN
1	FILE EMA
11	FILE EUROPATFULL
8	FILE FRFULL
4	FILE JICST-EPLUS
8	FILE PATDPAFULL
8	FILE PCTFULL
6	FILE PROMT
1	FILE TEMA
3	FILE TOXCENTER
23	FILE USPATFULL
3	FILE USPAT2
1	FILE WPIOS
1	FILE WPIINDEX
L5	QUE AMIHOPE LL
	SEA F1,F3,F10,F9,F4,F3

10:45:40 ON 29 OCT 2004

L8 0 L7 AND HANABUSA
L9 66 S L5
L10 56 L9 AND PD<20030428
L11 5 L10 AND ENGLISH/LA

FILE 'REGISTRY' ENTERED AT 11:17:23 ON 29 OCT 2004
1 S 52315-75-0/RN

FILE 'CAPLUS' ENTERED AT 11:17:58 ON 29 OCT 2004
20 S (L12/RCT OR L12/RACT)
L13 9 S L13 AND 1997<=PY<=2003
L14 16 S L13 AND (PD<20030428)
L15

FILE 'REGISTRY' ENTERED AT 11:19:02 ON 29 OCT 2004
FILE 'HCAPLUS' ENTERED AT 11:19:10 ON 29 OCT 2004
FILE 'REGISTRY' ENTERED AT 11:19:24 ON 29 OCT 2004
FILE 'CAPLUS' ENTERED AT 11:19:38 ON 29 OCT 2004
FILE 'REGISTRY' ENTERED AT 11:19:39 ON 29 OCT 2004
FILE 'STNGUIDE' ENTERED AT 11:20:22 ON 29 OCT 2004
FILE 'CAPLUS' ENTERED AT 11:23:36 ON 29 OCT 2004
FILE 'STNGUIDE' ENTERED AT 11:23:37 ON 29 OCT 2004

=>

---Logging off of STN---

INDEX 'IMOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA, ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS, BIBLIODATA, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS, BIOTECHABS, BIOTECHCHDS, BIOTECHNO, BLIDB, CABA, CANCERLIT, ...' ENTERED AT 10:33:57 ON 29 OCT 2004

SEA AMIHOPE
41 FILE CAPLUS
2 FILE CBNB
3 FILE CIN
1 FILE EMA
16 FILE EUROPATFULL
12 FILE FRFULL
4 FILE JICST-EPLUS
2 FILE KOSMET
14 FILE PATDPAFULL
10 FILE PCTFULL
9 FILE PROMT
1 FILE TEMA
3 FILE TOXCENTER
34 FILE USPATFULL
3 FILE USPAT2
1 FILE WPIOS
1 FILE WPIINDEX
L1 QUE AMIHOPE

FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:37:07 ON 29 OCT 2004
46 S L1
L2 44 DUP REM L2 (2 DUPLICATES REMOVED)
L3 36 L3 AND PD<20030428
L4

FILE 'STNGUIDE' ENTERED AT 10:39:36 ON 29 OCT 2004

FILE 'KOSMET, CAPLUS, TOXCENTER' ENTERED AT 10:41:02 ON 29 OCT 2004

FILE 'STNGUIDE' ENTERED AT 10:41:04 ON 29 OCT 2004

INDEX 'IMOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA, ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS, BIBLIODATA, BIOBUSINESS, BIOCOMMERCE, BIOENG, BIOSIS, BIOTECHABS, BIOTECHCHDS, BIOTECHNO, BLIDB, CABA, CANCERLIT, ...' ENTERED AT 10:43:34 ON 29 OCT 2004

SEA AMIHOPE LL
41 FILE CAPLUS
2 FILE CBNB

=>
Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE
TOTAL	ENTRY
SESSION	
FULL ESTIMATED COST	0.48
154.69	
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE
TOTAL	ENTRY
SESSION	
CA SUBSCRIBER PRICE	0.00
9.10	

STN INTERNATIONAL LOGOFF AT 11:28:24 ON 29 OCT 2004